

Hot Galvanized Steel TBE Barrel Nipple With DIN BSPT

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 100PCS
- Price:
- Packaging Details: carton box+ pallets
- Delivery Time:
- Payment Terms: T/T, L/C, D/P

CHINA

DEYE

ISO9001:2015 PED

USD0.5-USD3 each

7 days for stock items, 30 days for newly

DY-NIP-C14

Supply Ability: 100000pcs one month



Product Specification

Thread:	ANSI B.1.20.1 DIN 2999, ISO 7/1, ISO 228, NPT, BSPT, BSP
Thickness:	Sch20, Sch40, Sch80, Sch120, Sch160,xs, Xxs, Customize
Size:	1/4" To 6" 8MM-DN150MM
Length:	1/2"-12" 15mm-300mm, Longer As Per Customize
Material:	A106GR.B, A53GR.B, API5L GR.B Stainless Steel
Surface:	Black, Sandblast, Pickling, Anti-rust Oil, Zinc Plated, Galvanized.
Highlight:	Hot Galvanized Steel threaded barrel nipple, DIN threaded barrel nipple,

BSPT steel barrel pipe

Hot Galvanized Steel TBE Barrel Nipple With DIN BSPT

Galvanized TBE pipe nipple is made of high-quality galvanized steel pipe, and black steel pipe, stainless steel pipe are available for TBE pipe nipple, Galvanizing can increase the corrosion resistance of the steel pipe nipple and prolong the service life;Galvanized TBE pipe nipples can be customized according to drawings, samples, or customer requirements;

Galvanized TBE pipe nipples have a wide range of uses. In addition to being used for pipeline transportation of general low-pressure fluids such as water, gas, and oil, they are also used as oil well pipes and oil pipelines in the petroleum industry, especially offshore oil fields, and oil heaters for chemical coking equipment, condensation cooler, coal distillation wash oil exchanger pipeline connection.

Product Information/Product Description/Basis Information/Specification

Products Name	HOT GALVANIZED STEEL BARREL NIPPLES WITH DIN BSPT
Types	Close Nipple, long nipple, barrel Nipple, Swage Nipples, TBE nipple, PLE nipple, TSE nipple, BLE nipple, TLE Nipple, PSE nipple
Size	1/8"-6"
Wall Thickness	SCH20 ,SCH30,STD,SCH40S,SCH60,XS,SCH80S,SCH100,SCH120,,SCH160S,X XS ,DIN, SGP JIS thickness
Connection	Threaded Ends NPT, BSPT, BSPP ANSI B1.20.1, BS21, DIN2999
Design	
Standard	ASTMA733 DIN2982 DIN2988 BS3187 EN10241:2000
, v	Carbon Steel A106GR.B A53GR.B, ST37 RST37.2 Stainless Steel304, 304L, 304H, 316, 316L, 316H, 310, SS321, SS321H, 347, 347H, 904L
Standard Material	Carbon Steel A106GR.B A53GR.B, ST37 RST37.2 Stainless Steel304, 304L, 304H, 316, 316L, 316H, 310, SS321, SS321H, 347, 347H, 904L Duplex SS 2507, DSS2205, UNS31803 UNS32750, UNS32760
Standard Material	Carbon Steel A106GR.B A53GR.B, ST37 RST37.2 Stainless Steel304, 304L, 304H, 316, 316L, 316H, 310, SS321, SS321H, 347, 347H, 904L Duplex SS 2507, DSS2205, UNS31803 UNS32750, UNS32760 1.4301,1.4306, 1.4401, 1.4435, 1.4406, 1.4404, 1.4462, 1.4410, 1.4501
Standard Material	Carbon Steel A106GR.B A53GR.B, ST37 RST37.2 Stainless Steel304, 304L, 304H, 316, 316L, 316H, 310, SS321, SS321H, 347, 347H, 904L Duplex SS 2507, DSS2205, UNS31803 UNS32750, UNS32760

Features /Characteristics

Steel Pipe used for Schedules 40 & 80 welded nipples conforms to ASTM A53 Steel Pipe used for Schedule 80 nipples conforms to ASTM A106 Grade B Both welded and seamless steel nipples conform to ASTM A733 NPT threads on all nipples conform to ASME B1.20.1 Independent lab verification that fittings meet applicable chemical & physical propert

Application and usage:

Electric power, oil and gas, petrochemical, chemical, marine, heating, Metallurgy

Reference Standards

ASME B16.9 Specification for Butt Welded Fittings

ASME B16.9 specification is designed for butt welded fittings applied in industrial construction pipelines. Including elbow, tee, cross, cap, reducer, and etc.

Standard Scope

The standard includes specifications of NPS 1/2 to NPS 48 (DN15-DN1200) factory-made wrought butt-welded pipe fittings overall dimensions, tolerances ratings, test methods and markings.

Special Fittings

Special fittings here refer to special sizes, forms and tolerances that agreed between buyer and manufacturer.

Fabricated Fittings

Fabricated laterals and other fittings by circumferential or intersection welds are considered pipe fabrication could not apply this standard.

Units under ASME B16.9 shall be stated in both SI (Metric) and U.S. Customary units. Designation for size is NPS.

Reference Standards

It is not considered practical to identify the specific edition of each standard and specification in the individual references. A product made comply with a prior edition of referenced standards and in all other respects conforming to this standard will be considered complied.

ASME B16.5: Pipe Flanges and Flanged Fittings: NPS 1/2 Through NPS 24 Metric/Inch Standard

ASME B16.25: For Buttwelding Ends ASME B31: Code for Pressure Piping ASME B31.3: Process Piping ASME B36.10M, Welded and Seamless Wrought Steel Pipe ASME B36.19M, Stainless Steel Pipe **ASME Boiler and Pressure Vessel Code** ASTM A234/A234M-17, Specification for Piping Fittings of Wrought Carbon Steel and Alloy Steel for Moderate and **High Temperature Service** ASTM A403/A403M-16, Specification for Wrought Austenitic Stainless Steel Piping Fittings ASTM A420/A420M-16, Specification for Piping Fittings of Wrought Carbon Steel and Alloy Steel for Low Temperature Service ASTM A815/A815M-14e1, Specification for Wrought Ferritic, Ferritic/Austenitic and Martensitic Stainless Steel Piping Fittings ASTM A960/A960M-16a, Specification for Common Requirements for Wrought Steel Piping Fittings ASTM E29-13, Practice for Using Significant Digits in Test Data to Determine Conformance With Specifications ASTM B361-16, ASTM B363-14, ASTM B366/B366M-17: For other material metals. (Aluminum, Titanium, Nickel, and alloy). **Our Service** 1. Technical support 2. Raw Material Quality control. 3. Inspection during the production time. 4. Final Test includes Surface, Dimension, PT Test, RT test, ultrasonic Test

- 5. Test Report each shipment
- 4. Flexible Delivery terms. EXW FOB CIF CFR DDP DDU
- 5. Flexible payment Ways: LC. TT. DP
- 6. Customized Package includes Logo. Cases Dimension.
- 7. 18 months quality Guarantee time.
- 9. Free replacement by air if any error founded
- 10. 24 hours to Feedback your questions

SHIJIAZHUANG DEYE PIPING INDUSTRY CO., LTD Pipefittings Department)

🕓 +8613292824811 🖸 sales@deyepiping.com 🕑 piping-industry.com

No. 368 Youyi St. Shijiazhuang, Hebei, China